

# Irregular Cellular Learning Automata

Mehdi Esnaashari and Mohammad Reza Meybodi

**Abstract**—Cellular learning automaton (CLA) is a recently introduced model that combines cellular automaton (CA) and learning automaton (LA). The basic idea of CLA is to use LA to adjust the state transition probability of stochastic CA. This model has been used to solve problems in areas such as channel assignment in cellular networks, call admission control, image processing, and very large scale integration placement. In this paper, an extension of CLA called irregular CLA (ICLA) is introduced. This extension is obtained by removing the structure regularity assumption in CLA. Irregularity in the structure of ICLA is needed in some applications, such as computer networks, web mining, and grid computing. The concept of expediency has been introduced for ICLA and then, conditions under which an ICLA becomes expedient are analytically found.

**Index Terms**—Expediency, irregular cellular learning automata (ICLA), Markov process, steady-state analysis.

## I. INTRODUCTION

CELLULAR automaton (CA) is a discrete model consists of simple identical components, called cells, organized into a regular grid structure. Each cell can assume a state from a finite set of states. The operation of a CA takes place in discrete steps according to a local rule, which depends on the local environments of the cells. The local environment of a cell is usually taken to be a small number of neighboring cells, which can include the cell itself [1]. The global state of a CA, which represents the states of all its constituting cells together, is referred to as a configuration. The local rule and the initial configuration of a CA specify the evolution of that CA, which tells how each configuration is changed in one step. CA is particularly suitable for modeling natural systems that can be described as massive collections of simple objects interacting locally with each other [2]. CA is called cellular, because it is made up of cells like points in the lattice, and called automata, because it follows a simple local rule [3].

On the other hand, learning automaton (LA) is, by design, a simple agent for making simple and adaptive decisions in unknown random environments. Intuitively, LA could be considered as a learning organism which tries different actions

(from its action set) and selects new actions on the basis of the responses of the environment to previous actions. One attractive feature of this model is that it could be regarded as a simple unit from which complex structures could be constructed. These could be designed to handle complicated learning problems [4]. In most applications, local interaction of LAs, which can be defined in a form of graph such as tree, mesh, or array, is more suitable. In [5], CA and LA are combined, and a new model, which is called cellular LA (CLA), is obtained. This model, which opens a new learning paradigm, is superior to CA because of its ability to learn and is also superior to single LA because it consists of a collection of LAs interacting with each other. CLA has been used in many different applications including: channel assignment in cellular networks [6], call admission control in cellular networks [7], and very large scale integration placement [8], to mention a few. In [11], a mathematical framework for studying the behavior of the CLA has been introduced. It was shown that, for a class of rules called commutative rules, different models of CLA converge to a globally stable state [7], [9]–[11].

In this paper, irregular CLA (ICLA) is introduced as an extension to CLA model, in which the structure regularity assumption is removed. We argue that in some applications, such as computer networks, web mining, and grid computing, problems could usually be described by graphs, with irregular structures, and hence, an extension of CLA with irregular structure is needed to model such problems.

For the proposed extended model, the concept of expediency is introduced. Informally, an ICLA is said to be expedient if, in the long run, all of its constituting LA perform better than pure-chance automata. A pure-chance automaton is an automaton which chooses any of its actions by pure chance. Expediency is a notion of learning. An automaton which is capable of learning must do at least better than a pure-chance automaton [12]. The steady-state behavior of ICLA is studied and then, conditions under which an ICLA becomes expedient are given.

The rest of this paper is organized as follows. In Section II, we briefly introduce CLA model. Sections III and IV present ICLA and its steady-state behavior, respectively. A set of numerical examples are given in Section V for illustrating the theoretical results. In Section VI, we present a case study of using ICLA for problem solving in the area of wireless sensor networks. Section VII is the conclusion.

## II. CLA: COMBINATION OF CA AND LA MODELS

Before presenting CLA model in this section, we first give a brief introduction to CA and LA models.

Manuscript received November 9, 2013; revised June 16, 2014 and August 24, 2014; accepted August 26, 2014. Date of publication October 1, 2014; date of current version July 15, 2015. This paper was recommended by Associate Editor R. Selmic.

M. Esnaashari is with the Information Technology Department, Iran Telecommunications Research Center, Tehran 1439955471, Iran (e-mail: esnaashari@itrc.ac.ir).

M. R. Meybodi is with the Computer Engineering and Information Technology Department, Amirkabir University of Technology, Tehran, Iran and also with the School of Computer Science, Institute for Studies in Theoretical Physics and Mathematics (IPM), Tehran 15914, Iran (e-mail: mmeybodi@aut.ac.ir).

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/TCYB.2014.2356591

### A. CA

A  $d$ -dimensional CA consists of an infinite  $d$ -dimensional lattice of identical cells. Each cell can assume a state from a finite set of states. The cells update their states synchronously on discrete steps according to a local rule. The new state of each cell depends on the previous states of a set of cells, including the cell itself, and constitutes its neighborhood. The states of all cells in the lattice are described by a configuration. A configuration can be described as the state of the whole lattice. The local rule and the initial configuration of CA specify the evolution of CA, that is, how the configuration of CA evolves in time.

### B. LA

LA is an abstract model which randomly selects one action out of its finite set of actions and performs it on a random environment. Environment then evaluates the selected action and responds to the LA with a reinforcement signal. Based on the selected action, and the received signal, LA updates its internal state and selects its next action.

Environment can be defined by the triple  $E = \{\alpha, \beta, c\}$  where  $\alpha = \{\alpha_1, \alpha_2, \dots, \alpha_r\}$  represents a finite input set,  $\beta = \{\beta_1, \beta_2, \dots, \beta_r\}$  represents the output set, and  $c = \{c_1, c_2, \dots, c_r\}$  is a set of penalty probabilities, where each element  $c_i = E[\beta \mid \alpha = \alpha_i]$  of  $c$  corresponds to one input  $\alpha_i$ . An environment in which  $\beta$  assumes values in the interval  $[0, 1]$  is referred to as an S-model environment. LAs are classified into fixed-structure stochastic, and variable-structure stochastic. In the following, we consider only variable-structure LAs.

A variable-structure LA is defined by the quadruple  $\{\alpha, \beta, p, T\}$  in which  $\alpha = \{\alpha_1, \alpha_2, \dots, \alpha_r\}$  represents the action set of LA,  $\beta = \{\beta_1, \beta_2, \dots, \beta_r\}$  represents the input set,  $p = \{p_1, p_2, \dots, p_r\}$  represents the action probability set, and finally  $p(k+1) = T[\alpha(k), \beta(k), p(k)]$  represents the learning algorithm. This LA operates as follows. Based on the action probability set  $p$ , LA randomly selects an action  $\alpha(k)$ , and performs it on the environment. After receiving the environment's reinforcement signal ( $\beta(k)$ ), LA updates its action probability set based on (1) or (2) according to the selected action  $\alpha(k)$

$$p_i(k+1) = p_i(k) + \beta(k) \left[ \frac{b}{r-1} - b \cdot p_i(k) \right] - [1 - \beta(k)] \cdot a \cdot p_i(k), \quad \text{when } \alpha(k) \neq \alpha_i \quad (1)$$

$$p_i(k+1) = p_i(k) - \beta(k) \cdot b \cdot p_i(k) + [1 - \beta(k)] \cdot a \cdot (1 - p_i(k)), \quad \text{when } \alpha(k) = \alpha_i. \quad (2)$$

In the above equations,  $a$  and  $b$  are reward and penalty parameters respectively. For  $a = b$ , learning algorithm is called  $L_{RP}$ ,<sup>1</sup> for  $b \ll a$  it is called  $L_{ReP}$ ,<sup>2</sup> and for  $b = 0$ , it is called  $L_{RI}$ .<sup>3</sup>

Since its introduction in 1973 by Tsetlin [21], LA have been found a variety of applications in many different topics [22]–[25] and still appears in many recent researches such as [26] and [27] to mention a few.

### C. CLA

A CLA is a CA in which a number of LAs is assigned to every cell. Each LA residing in a particular cell determines its action (state) on the basis of its action probability vector. Like CA, there is a local rule that CLA operates under. The local rule of CLA and the actions selected by the neighboring LAs of any particular LA determine the reinforcement signal to that LA. The neighboring LAs (cells) of any particular LA (cell) constitute the local environment of that LA (cell). The local environment of an LA (cell) is nonstationary due to the fact that the action probability vectors of the neighboring LAs vary during the evolution of CLA. The operation of a CLA could be described as the following steps: At the first step, the internal state of every cell is determined on the basis of the action probability vector of the LA residing in that cell. In the second step, the local rule of CLA determines the reinforcement signal to the LA residing in that cell. Finally, each LA updates its action probability vector based on the supplied reinforcement signal and the chosen action. This process continues until the desired result is obtained. Formally, a CLA can be defined as follows.

*Definition 1:* A  $d$ -dimensional CLA is a structure  $\mathcal{A} = (Z^d, N, \Phi, A, \mathcal{F})$ , where as follows.

- 1)  $Z^d$  is a lattice of  $d$ -tuples of integer numbers.
- 2)  $N = \{\bar{x}_1, \bar{x}_2, \dots, \bar{x}_m\}$  is a finite subset of  $Z^d$  called neighborhood vector, where  $\bar{x}_i \in Z^d$ .
- 3)  $\Phi$  is a finite set of states. The state of the cell  $c_i$  is denoted by  $\varphi_i$ .
- 4)  $A$  is the set of LA each of which is assigned to one cell of the CLA.
- 5)  $F^i: \varphi_i \rightarrow \underline{\beta}$  is the local rule of the CLA in each cell  $c_i$ , where  $\underline{\beta}$  is the set of values that the reinforcement signal can take. It computes the reinforcement signal for each LA based on the actions selected by the neighboring LA.

### III. ICLA: EXTENSION TO CLA MODEL

ICLA (Fig. 1) is a generalization of CLA in which the restriction of regular structure is removed. An ICLA is defined as an undirected graph in which, each vertex represents a cell and is equipped with an LA, and each edge induces an adjacency relation between two cells (two LAs). LA residing in a particular cell determines its state (action) according to its action probability vector. Like CLA, there is a rule that ICLA operates under. The rule of ICLA and the actions selected by the neighboring LAs of any particular LA determine the reinforcement signal to that LA. The neighboring LAs of any particular LA constitute the local environment of that LA. The local environment of an LA is nonstationary because the action probability vectors of the neighboring LAs vary during the evolution of ICLA.

The operation of ICLA is similar to the operation of CLA. At the first step, the internal state of each cell is specified on the basis of the action probability vector of the LA residing in that cell. In the second step, the rule of ICLA determines the reinforcement signal to the LA residing in each cell. Finally, each LA updates its action probability vector on the basis of the supplied reinforcement signal and the internal state of the

<sup>1</sup>Linear Reward-Penalty

<sup>2</sup>Linear Reward epsilon Penalty

<sup>3</sup>Linear Reward Inaction




Fig. 1. ICLA.

cell. This process continues until the desired result is obtained. Formally, an ICLA is defined as given below.

**Definition 2:** ICLA is a structure  $\mathcal{A} = (G < E, V >, \Phi, A, \mathcal{F})$ , where

- 1)  $G$  is an undirected graph, with  $V$  as the set of vertices (cells) and  $E$  as the set of edges (adjacency relations).
- 2)  $\Phi$  is a finite set of states. The state of the cell  $c_i$  is denoted by  $\varphi_i$ .
- 3)  $A$  is the set of LAs each of which is assigned to one cell of ICLA.
- 4)  $\mathcal{F}^i: \underline{\phi}_i \rightarrow \underline{\beta}$  is the local rule of ICLA in the cell  $c_i$ , where  $\underline{\phi}_i = \{\varphi_j | \{i, j\} \in E\} \cup \{\varphi_i\}$  is the set of states of all neighbors of  $c_i$  and  $\underline{\beta}$  is the set of values that the reinforcement signal can assume. Local rule gives the reinforcement signal to each LA from the current actions selected by the neighboring LAs of that LA.

Comparing the above definition with the definition of CLA, the only existing difference is that the lattice  $Z^d$  and the neighborhood vector  $N$  in CLA are replaced by the undirected graph  $G < E, V >$  in ICLA. That is, instead of having a regular lattice structure, ICLA has an irregular graph-based structure. Note that in the definition of ICLA, no explicit definition is given for the neighborhood of each cell. It is implicitly defined in the definition of the graph  $G$ .

In what follows, we consider ICLA with  $n$  cells. The  $LA_i$  which has a finite action set  $\underline{\alpha}_i$  is associated to cell  $c_i$  (for  $i = 1, 2, \dots, n$ ) of ICLA. Let the cardinality of  $\underline{\alpha}_i$  be  $m_i$ .

The operation of ICLA takes place as the following iterations. At iteration  $k$ , each LA selects an action. Let  $\alpha_i \in \underline{\alpha}_i$  be the action selected by  $LA_i$ . Then all LA receive a reinforcement signal. Let  $\beta_i \in \underline{\beta}$  be the reinforcement signal received by  $LA_i$ . This reinforcement signal is produced by the application of the local rule  $\mathcal{F}^i(\underline{\phi}_i) \rightarrow \underline{\beta}$ . Higher values of  $\beta_i$  mean that the selected action of  $LA_i$  will receive higher penalties. Then, each  $LA_i$  updates its action probability vector on the basis of the supplied reinforcement signal and its selected action  $\alpha_i$ .

Like CLA, ICLA can be either synchronous or asynchronous and an asynchronous ICLA can be either time-driven or step-driven. ICLA have been successfully used for problem solving in the area of wireless sensor networks [16]–[19].

### A. Evolution of ICLA

**Definition 3:** A configuration of ICLA at step  $k$  is denoted by  $\underline{p}(k) = (\underline{p}_1, \underline{p}_2, \dots, \underline{p}_n)^T$ , where  $\underline{p}_i$  is the action probability vector of the  $LA_i$  and  $T$  denotes the transpose operator.

**Definition 4:** A configuration  $\underline{p}$  is called deterministic if the action probability vector of each LA is a unit vector, otherwise it is called probabilistic. Hence, the set of all deterministic configurations,  $\mathcal{K}^*$ , and the set of probabilistic configurations,  $\mathcal{K}$ , in ICLA are

$$\mathcal{K}^* = \left\{ \underline{p} \mid \underline{p} = (\underline{p}_1, \underline{p}_2, \dots, \underline{p}_n)^T, \underline{p}_i = (p_{i1}, \dots, p_{im_i})^T, \forall y, i: p_{iy} \in \{0, 1\}, \forall i: \sum_y p_{iy} = 1 \right\} \quad (3)$$

and

$$\mathcal{K} = \left\{ \underline{p} \mid \underline{p} = (\underline{p}_1, \underline{p}_2, \dots, \underline{p}_n)^T, \underline{p}_i = (p_{i1}, \dots, p_{im_i})^T, \forall y, i: 0 \leq p_{iy} \leq 1, \forall i: \sum_y p_{iy} = 1 \right\} \quad (4)$$

respectively.

**Lemma 1:**  $\mathcal{K}$  is the convex hull of  $\mathcal{K}^*$ .

**Proof:** Proof of this lemma is given in [11]. ■

The application of the local rule to every cell allows transforming a configuration to a new one.

**Definition 5:** The global behavior of an ICLA is a mapping  $\mathcal{G}: \mathcal{K} \rightarrow \mathcal{K}$  that describes the dynamics of ICLA. The evolution of ICLA from a given initial configuration  $\underline{p}(0) \in \mathcal{K}$  is a sequence of configurations  $\{\underline{p}(k)\}_{k \geq 0}$ , such that  $\underline{p}(k+1) = \mathcal{G}(\underline{p}(k))$ .

**Definition 6:** Neighborhood set of any particular  $LA_i$ , denoted by  $N(i)$ , is defined as the set of all LA residing in the adjacent cells of the cell  $c_i$ , that is

$$N(i) = \{LA_j | \{i, j\} \in E\}. \quad (5)$$

Let  $\mathcal{N}_i$  be the cardinality of  $N(i)$ .

**Definition 7:** The average penalty for action  $r$  of  $LA_i$  in configuration  $\underline{p} \in \mathcal{K}$  is defined as

$$\begin{aligned} d_{ir}(\underline{p}) &= E[\beta_i | \underline{p}, \alpha_i = r] \\ &= \sum_{y_{j1}, \dots, y_{jN_i}} \mathcal{F}^i(y_{j1}, \dots, y_{jN_i}, r) \prod_{LA_j \in N(i)} p_{ly_{jl}} \end{aligned} \quad (6)$$

and the average penalty for the  $LA_i$  is defined as

$$D_i(\underline{p}) = E[\beta_i | \underline{p}] = \sum_y d_{iy}(\underline{p}) p_{iy}. \quad (7)$$

The above definition implies that if the  $LA_j$  is not a neighboring LA for  $LA_i$ , then  $d_{ir}(\underline{p})$  does not depend on  $\underline{p}_j$ . We assume that  $d_{ir}(\underline{p}) \neq 0$  for all  $i, r$ , and  $\underline{p}$ , that is, in any configuration, any action has a nonzero chance of receiving penalty.

**Definition 8:** The total average penalty for ICLA at configuration  $\underline{p} \in \mathcal{K}$  is the sum of the average penalties for all LA in ICLA, that is

$$D(\underline{p}) = \sum_i D_i(\underline{p}). \quad (8)$$

## IV. BEHAVIOR OF ICLA

In this section, we will study the asymptotic behavior of an ICLA, in which all LA use the  $L_{RP}$  learning algorithm [13], when operating within an S-model environment. We refer to such an ICLA as ICLA with  $SL_{RP}$  LA hereafter. The process  $\{p(k)\}_{k \geq 0}$  which evolves according to the  $L_{RP}$  learning algorithm can be described by the following difference equation:

$$\underline{p}(k+1) = \underline{p}(k) + \underline{a} \cdot \underline{g}(\underline{p}(k), \underline{\beta}(k)) \quad (9)$$

where  $\underline{\beta}(k)$  is composed of components  $\beta_{iy}(k)$  (for  $1 \leq i \leq n$ ,  $1 \leq y \leq m_i$ , and  $\beta_{iy_1} = \beta_{iy_2}$  for every  $y_1, y_2$  such that  $1 \leq y_1, y_2 \leq m_i$ ), which are dependent on  $\underline{p}(k)$ .  $\underline{a}$  is an  $n \times n$  diagonal matrix with  $a_{ii} = a_i$  and  $a_i$  represents the learning parameter for  $LA_i$ .  $\underline{g}$  represents the learning algorithm, whose components can be obtained using  $L_{RP}$  learning algorithm in S-model environment as follows:

$$\underline{g}_{ir}(p_{ir}, \beta_{ir}) = \begin{cases} (1 - p_{ir} - \beta_{ir}); & \alpha_i = r \\ \left(\frac{\beta_{ir}}{m_i - 1} - p_{ir}\right); & \alpha_i \neq r \end{cases} \quad (10)$$

From (9) it follows that  $\{\underline{p}(k)\}_{k \geq 0}$  is a discrete-time Markov process [14] defined on the state space  $\mathcal{K}$  [given by (4)]. Let  $(\mathcal{K}, d)$  be a metric space, where  $d$  is the metric defined according to

$$d(\underline{p}, \underline{q}) = \sum_i \|\underline{p}_i - \underline{q}_i\| \quad (11)$$

where  $\|\underline{X}\|$  stands for the norm of the vector  $\underline{X}$ .

Lemmas 2 and 3, given below, state some properties of the Markovian process given by (9).

**Lemma 2:** The Markovian process given by (9) is strictly distance diminishing.

*Proof:* To prove this lemma, we will show that the Markovian process given by (9) follows the definition of the strictly distance diminishing processes given by Norman [15]. The complete proof is given in Appendix A. ■

**Corollary 1:** Let  $\underline{p}^{(h)}$  denotes  $\underline{p}(k+h)$  when  $\underline{p}(k) = \underline{p}$  and  $\underline{q}^{(h)}$  denotes  $\underline{q}(k+h)$  when  $\underline{q}(k) = \underline{q}$ . Then  $\underline{p}^{(h)} \rightarrow \underline{q}^{(h)}$  as  $h \rightarrow \infty$  irrespective of the initial configurations  $\underline{p}$  and  $\underline{q}$ .

*Proof:* The proof is given in Appendix A. ■

**Lemma 3:** The Markovian process given by (9) is ergodic.

*Proof:* To prove the lemma we can see that the Markovian process given by (9) has the following two properties.

- 1) There are no absorbing states for  $\{\underline{p}(k)\}$ , since there is no  $\underline{p}$  that satisfies  $\underline{p}(k+1) = \underline{p}(k)$ .
- 2) The proposed process is strictly distance diminishing (Lemma 2).

From the above two properties and considering the results given in corollary 1, we can conclude that the Markovian process  $\{\underline{p}(k)\}_{k \geq 0}$  is ergodic. ■

Now define

$$\Delta \underline{p}(k) = \mathbb{E}[\underline{p}(k+1) | \underline{p}(k)] - \underline{p}(k). \quad (12)$$

Since  $\{\underline{p}(k)\}_{k \geq 0}$  is Markovian and  $\underline{\beta}(k)$  depends only on  $\underline{p}(k)$  and not on  $k$  explicitly, then  $\Delta \underline{p}(k)$  can be expressed as

a function of  $\underline{p}(k)$ . Hence we can write

$$\Delta \underline{p} = \underline{a} \underline{f}(\underline{p}). \quad (13)$$

The components of  $\Delta \underline{p}$  can be obtained as follows:

$$\begin{aligned} \Delta p_{ir} &= a_i p_{ir} \cdot [1 - p_{ir} - \mathbb{E}[\beta_{ir}]] \\ &\quad - a_i \sum_{y \neq r} p_{iy} \cdot \left[ \frac{1}{m_i - 1} \mathbb{E}[\beta_{iy}] - p_{ir} \right] \\ &= a_i \cdot \left[ \frac{1}{m_i - 1} \sum_{y \neq r} p_{iy} \mathbb{E}[\beta_{iy}] - p_{ir} \mathbb{E}[\beta_{ir}] \right] \\ &= a_i \cdot \left[ \frac{1}{m_i - 1} \sum_{y \neq r} p_{iy} d_{iy}(\underline{p}) - p_{ir} d_{ir}(\underline{p}) \right] \\ &= a_i f_{ir}(\underline{p}) \end{aligned} \quad (14)$$

where

$$\begin{aligned} f_{ir}(\underline{p}) &= \frac{1}{m_i - 1} \sum_{y \neq r} p_{iy} d_{iy}(\underline{p}) - p_{ir} d_{ir}(\underline{p}) \\ &= \frac{1}{m_i - 1} \sum_y p_{iy} d_{iy}(\underline{p}) - \left(1 + \frac{1}{m_i - 1}\right) \cdot [p_{ir} d_{ir}(\underline{p})] \\ &= \frac{1}{m_i - 1} \cdot [D_i(\underline{p}) - m_i p_{ir} d_{ir}(\underline{p})]. \end{aligned} \quad (15)$$

**Lemma 4:** Function  $f(\underline{p})$  whose components are given by (15) is Lipschitz continuous over the compact space  $\mathcal{K}$ .

*Proof:* Function  $f(\underline{p})$  has compact support (it is defined over  $\mathcal{K}$ ), is bounded because  $-1 \leq f_{ir}(\underline{p}) \leq 1$  for all  $\underline{p}$ ,  $i$ ,  $r$ , and is also continuously differentiable with respect to  $\underline{p}$  over  $\mathcal{K}$ . Therefore, its first derivative with respect to  $\underline{p}$  is also bounded. Thus, using the Cauchy's mean value theorem, it can be concluded that  $f(\underline{p})$  is Lipschitz continuous over the compact space  $\mathcal{K}$  with Lipschitz constant  $K = \sup_{\underline{p}} \|\nabla_{\underline{p}} f(\underline{p})\|$ . ■

For different values of  $\underline{a}$ , (9) generates different processes and we shall use  $\underline{p}^{\underline{a}}(k)$  to denote this process whenever the value of  $\underline{a}$  is to be specified explicitly. To find the approximating ODE for the learning algorithm given by (9), we define a sequence of continuous-time interpolation of (9), denoted by  $\tilde{\underline{p}}^{\underline{a}}(t)$  and called an interpolated process, whose components are defined by

$$\tilde{\underline{p}}^{\underline{a}}_i(t) = \underline{p}_i(k), \quad t \in [ka_i, (k+1)a_i] \quad (16)$$

where  $a_i$  is the learning parameter of the  $L_{RP}$  algorithm for  $LA_i$ . The interpolated process  $\{\tilde{\underline{p}}^{\underline{a}}(t)\}_{t \geq 0}$  is a sequence of random variables that takes values from  $\mathcal{R}^{m_1 \times \dots \times m_n}$ , where  $\mathcal{R}^{m_1 \times \dots \times m_n}$  is the space of all functions that, at each point, are continuous on the right and have a limit on the left over  $[0, \infty)$  and take values in  $\mathcal{K}$ , which is a bounded subset of  $\mathcal{R}^{m_1 \times \dots \times m_n}$ . Consider the following ordinary differential equation (ODE):

$$\dot{\underline{p}} = \underline{f}(\underline{p}) \quad (17)$$

where  $\dot{\underline{p}}$  is composed of the following components:

$$\frac{dp_{ir}}{dt} = \frac{1}{m_i - 1} \cdot [D_i(\underline{p}) - m_i p_{ir} d_{ir}(\underline{p})]. \quad (18)$$



In the following theorem, we will show that (9) is the approximation to the ODE (17). This means that if we have the solution to (17), then we can obtain information regarding the behavior of  $\underline{p}(k)$ .

**Theorem 1:** Using the learning algorithm (10) and considering  $\max \{\underline{a}\} \rightarrow 0$ ,  $\underline{p}(k)$  is well approximated by the solution of the ODE (17).

*Proof:* Following conditions are satisfied by the learning algorithm given by (10):

- 1)  $\{\underline{p}(k)\}_{k \geq 0}$  is a Markovian process.
- 2) Given  $\underline{p}(k)$ ,  $\underline{\alpha}(k)$  and  $\underline{\beta}(k)$  are independent of  $\underline{\alpha}(k-1)$  and  $\underline{\beta}(k-1)$ .
- 3)  $f(\underline{p}(\bar{k}))$  is independent of  $k$ .
- 4)  $\bar{f}(\underline{p}(k))$  is Lipschitz continuous over the compact space  $\bar{\mathcal{K}}$  (Lemma 4).
- 5)  $E\|\underline{g}(\underline{p}) - \bar{f}(\underline{p})\|^2$  is bounded since  $\underline{g}(\underline{p}) \in [-1, 1]^{m_1 \times \dots \times m_n}$ .
- 6) Learning parameters  $a_i, i = 1, \dots, n$  are sufficiently small since  $\max \{\underline{a}\} \rightarrow 0$ .

Therefore, using [4, Th. A.1], we can conclude the theorem. ■

Equation (9) is the so called Euler approximation to the ODE (17). Specifically, if  $\underline{p}(k)$  is a solution to (9) and  $\tilde{\underline{p}}(t)$  is a solution to (17), then for any  $T > 0$ , we have

$$\lim_{a_i \rightarrow 0} \sup_{0 \leq k \leq T/a_i} \|\underline{p}_{ir}(k) - \tilde{\underline{p}}(ka_i)\| = 0. \quad (19)$$

What Theorem 1 says is that  $\underline{p}(k)$ , given by (9), will closely follow the solution of the ODE (17), that is,  $\underline{p}(k)$  can be made to closely approximate the solution of its approximating ODE by taking  $\max \{\underline{a}\}$  sufficiently small. Thus, if the ODE (17) has a globally asymptotically stable equilibrium point, then we can conclude that (by taking  $\max \{\underline{a}\}$  sufficiently small),  $\underline{p}(k)$ , for large  $k$ , would be close to this equilibrium point irrespective of its initial configuration  $\underline{p}(0)$ . Therefore, the analysis of the process  $\{\underline{p}(k)\}_{k \geq 0}$  is done in two stages. In the first stage, we solve ODE (17) and in the second stage, we characterize the solution of this ODE.

In the following subsections, we first find the equilibrium points of ODE (17), then study the stability property of these equilibrium points, and finally state some theorems about the convergence of ICLA.

#### A. Equilibrium Points

To find the equilibrium points of ODE (17), we first show that this ODE has at least one equilibrium point and then specify a set of conditions which must be satisfied by a configuration  $\underline{p}$  to be an equilibrium point of the ODE (17).

**Lemma 5:** ODE (17) has at least one equilibrium point.

*Proof:* To prove this lemma, we first propose a continuous mapping  $\zeta(\underline{p})$  from  $\mathcal{K}$  to  $\mathcal{K}$ . Then, using the Brouwer's fixed point theorem, we will show that any continuous mapping from  $\mathcal{K}$  to  $\mathcal{K}$  has at least one fixed point. Finally, we will show that the fixed point of  $\zeta(\underline{p})$  is the equilibrium point of the ODE (17). This indicates that ODE (17) has at least one equilibrium point. The complete proof is given in Appendix B. ■

**Theorem 2:** The equilibrium points of ODE (17) are the set of configurations  $\underline{p}^*$  which satisfy the set of conditions  $p_{ir}^* = (\prod_{y \neq r} d_{iy}(\underline{p}^*)) / (\sum_{y_1} (\prod_{y_2 \neq y_1} d_{iy_2}(\underline{p}^*)))$  for all  $i, r$ .

*Proof:* To find the equilibrium points of ODE (17), we have to solve equations of the form

$$\frac{dp_{ir}^*(t)}{dt} = 0 \quad \text{for all } i, r. \quad (20)$$

Using (18), (20) can be rewritten as

$$\frac{1}{m_i - 1} \cdot \left[ D_i(\underline{p}^*(t)) - m_i p_{ir}^*(t) d_{ir}(\underline{p}^*(t)) \right] = 0 \quad \text{for all } i, r. \quad (21)$$

These equations have solutions of the form

$$p_{ir}^* = \frac{D_i(\underline{p}^*)}{m_i d_{ir}(\underline{p}^*)}, \quad \text{for all } i, r \quad (22)$$

which after some algebraic manipulations, can be rewritten as

$$p_{ir}^* = \frac{\prod_{y \neq r} d_{iy}(\underline{p}^*)}{\sum_{y_1} (\prod_{y_2 \neq y_1} d_{iy_2}(\underline{p}^*))}, \quad \text{for all } i, r \quad (23)$$

and hence the theorem. ■

It follows from Theorem 2 that the difference equation given by (13) has equilibrium points  $\underline{p}^*$  that satisfy the set of conditions  $p_{ir}^*(k) = (\prod_{y \neq r} d_{iy}(\underline{p}^*(k))) / (\sum_{y_1} (\prod_{y_2 \neq y_1} d_{iy_2}(\underline{p}^*(k))))$  for all  $i, r$ .

#### B. Stability Property

In this Section IV-B, we characterize the stability of equilibrium configurations of ICLA, that is, the equilibrium points of ODE (17). To do this, the origin is first transferred to an equilibrium point  $\underline{p}^*$ , and then a candidate for a Lyapunov function is introduced for studying the stability of this equilibrium point. Consider the following transformation:

$$\hat{p}_{ir} = p_{ir} - \frac{D_i(\underline{p}^*)}{m_i d_{ir}(\underline{p}^*)} \quad \text{for all } i, r. \quad (24)$$

Using this transformation, the origin is transferred to  $\underline{p}^*$ .

**Lemma 6:** Derivative of  $\hat{\underline{p}}$  with respect to time has components of the following form:

$$\frac{d\hat{p}_{ir}}{dt} = -d_{ir}(\underline{p})\hat{p}_{ir} \quad \text{for all } i, r. \quad (25)$$

*Proof:* The proof is given in Appendix C. ■

**Corollary 2:**  $\hat{\underline{p}}_{ir}$  and its time derivative  $(d\hat{p}_{ir}/dt)$  have different signs.

*Proof:* Considering the fact that  $d_{ir}(\underline{p}) \geq 0$  for all configurations  $\underline{p}$  and for all  $i$  and  $r$ , the proof is an immediate result of (25). ■

**Theorem 3:** A configuration  $\underline{p}^*$ , whose components satisfy set of equations  $p_{ir}^* = (\prod_{y \neq r} d_{iy}(\underline{p}^*)) / (\sum_{y_1} (\prod_{y_2 \neq y_1} d_{iy_2}(\underline{p}^*)))$  for all  $i, r$ , is an asymptotically stable equilibrium point of ODE (17) over  $\mathcal{K}$ .

*Proof:* To prove this theorem, we first apply transformation (24) to transfer the origin to  $\underline{p}^*$ . Then we propose

a positive definite function  $V(\underline{p})$  and show that the time derivative of  $V(\underline{p})$  is globally negative definite over  $\mathcal{K}$ . This indicates that  $\underline{p}^*$  is an asymptotically stable equilibrium point of ODE (17) over  $\mathcal{K}$ . The complete proof is given in Appendix D. ■

*Corollary 3:* The equilibrium point of ODE (17) is unique over  $\mathcal{K}$ .

*Proof:* Let  $\underline{p}^*, \underline{q}^*$  be two equilibrium points of ODE (17). Theorem 3 proves that any equilibrium point of ODE (17), including  $\underline{p}^*$ , is asymptotically stable over  $\mathcal{K}$ . This means that all initial configurations within the state space  $\mathcal{K}$  converge to  $\underline{p}^*$ . Using a similar approach for  $\underline{q}^*$ , one can conclude that all initial configurations within the state space  $\mathcal{K}$  converge to  $\underline{q}^*$ . This implies that  $\underline{p}^* = \underline{q}^*$ , and thus, the equilibrium point of ODE (17) is unique over  $\mathcal{K}$ . ■

### C. Convergence Results

In this section, we summarize the main results specified in the above lemmas and theorems in a main theorem (Theorem 4 given below).

*Theorem 4:* An ICLA with  $SL_{RP}$  LA, regardless of its initial configuration, converges in distribution to a random configuration, in which the mean value of the action probability of any action of any LA is inversely proportional to the average penalty received by that action.

*Proof:* The evolution of an ICLA with  $SL_{RP}$  LA is described by (9). From this equation, it follows that  $\{\underline{p}(k)\}_{k \geq 0}$  is a discrete-time Markov process. Lemma 3 states that this Markovian process is ergodic, and hence, it converges in distribution to a random configuration  $\underline{p}^*$ , irrespective of its initial configuration. Lemma 5 shows that such a configuration exists for ICLA, Corollary 3 states that it is unique, and Theorem 3 proves that it is asymptotically stable. Theorem 2 specifies the properties of the configuration  $\underline{p}^*$ . It shows that  $\underline{p}^*$  satisfies the set of conditions given by (22). According to (22), in configuration  $\underline{p}^*$ , the action probability of any action of any LA is inversely proportional to the average penalty received by that action. ■

### D. Expediency of ICLA

In this section, we introduce the concept of expediency for ICLA and specify the set of conditions under which an ICLA becomes expedient.

*Definition 9:* A pure-chance automaton is an automaton that chooses each of its actions with equal probability i.e., by pure chance, that is, an  $m$ -action automaton is pure-chance if  $p_i = (1/m)$ ,  $i = 1, 2, \dots, m$ .

*Definition 10:* A pure-chance ICLA is an ICLA, for which every cell contains a pure-chance automaton rather than a LA. The configuration of a pure-chance ICLA is denoted by  $\underline{p}^{pc}$ .

*Definition 11:* An ICLA is said to be expedient with respect to the cell  $c_i$  if  $\lim_{k \rightarrow \infty} \underline{p}(k) = \underline{p}^*$  exists and the following inequality holds:

$$\lim_{k \rightarrow \infty} \mathbb{E} \left[ D_i(\underline{p}(k)) \right] < \frac{1}{m_i} \sum_y d_{iy}(\underline{p}^*). \quad (26)$$

TABLE I  
SPECIFICATIONS USED FOR NUMERICAL EXAMPLE 1

ICLA	$ICLA_{2,3}$	$ICLA_{3,2}$	$ICLA_{5,5}$
<b>Neighborhood</b>	All cells are neighbors		
<b>Learning Parameter</b>	$a = 5 \times 10^{-5}$		
<b>Initial Configuration</b>	$p_{11} = 1, p_{ir} = 0, \forall i, r, r \neq 1$		
<b>Environment Response</b>	$\mathcal{F}^{-1}(\alpha_1, \dots, \alpha_n)$ is selected uniformly at random from the range $[0, 1]$ at the beginning of the simulation		

In other words, an ICLA is expedient with respect to the cell  $c_i$  if, in the long run, the  $i$ th LA performs better (receives less penalty) than a pure-chance automaton.

*Definition 12:* An ICLA is said to be expedient if it is expedient with respect to every cell in ICLA.

*Theorem 5:* An ICLA with  $SL_{RP}$  LA, regardless of the local rule being used, is expedient.

*Proof:* To prove this theorem, we show that an ICLA with  $SL_{RP}$  LA is expedient with respect to every cell in ICLA. The proof is given in Appendix E. ■

## V. NUMERICAL EXAMPLES

In this section, we will give a number of numerical examples for illustrating the analytical results specified in previous sections. The first two sets of examples are used to illustrate the analytical results given in Theorem 4, and the next set of examples is used to study the behavior of ICLA in terms of expediency.

### A. Numerical Example 1

This set of examples are given to illustrate that the action probability of any action of any LA in an ICLA with  $SL_{RP}$  LA converges in distribution to a random variable, whose mean is inversely proportional to the average penalty received by that action. We consider three different ICLAs with different number of cells and different number of cell states. Table I gives the specifications used for this set of simulations. Here,  $ICLA_{(n,m)}$  refers to an ICLA with  $n$  cells and  $m$  states for each cell. Table II compares the action probabilities of the actions of the LA in each ICLA at the end of the simulation time ( $k > 3 \times 10^6$ ) with their theoretical values obtained from (22). As it can be seen from these tables, the action probabilities of all actions and their theoretical values approach each other. This is in coincidence with the results of the theoretical analysis given in Theorem 4, that is, an ICLA with  $SL_{RP}$  LA converges in distribution to a random configuration, in which the mean value of the action probability of any action of any LA is inversely proportional to the average penalty received by that action. Fig. 2 also shows the approach of these two values to each other over the simulation time for randomly selected actions of three randomly selected LA from  $ICLA_{2,3}$  and  $ICLA_{5,5}$ .


### B. Numerical Example 2

The goal of conducting this set of numerical examples is to study the convergence behavior of ICLA when it starts to evolve within the environment from different initial configurations. For this paper, we use an  $ICLA_{5,5}$  with  $SL_{RP}$


TABLE II

RESULTS OF THE NUMERICAL EXAMPLE 1 FOR  $ICLA_{2,3}$ ,  $ICLA_{3,2}$ ,  $ICLA_{5,5}$  ( $p_{ij}$  IS THE ACTION PROBABILITY OF THE  $j$ TH ACTION OF THE  $i$ TH LA OBTAINED FROM THE SIMULATION STUDY AND  $p_{ij}^*$  IS THE CORRESPONDING THEORETICAL VALUE)

$ICLA_{2,3}$	$LA_1$	$\alpha_1$	$p_{11} = .352$ * $p_{11} = .361$	$LA_2$	$\alpha_1$	$p_{21} = .289$ * $p_{21} = .288$	$ICLA_{3,2}$	$LA_1$	$\alpha_1$	$p_{11} = .746$ * $p_{11} = .75$	$LA_2$	$\alpha_1$	$p_{21} = .797$ * $p_{21} = .8$	$LA_3$	$\alpha_1$	$p_{31} = .663$ * $p_{31} = .659$	
		$\alpha_2$	$p_{12} = .454$ * $p_{12} = .441$		$\alpha_2$	$p_{22} = .268$ * $p_{22} = .268$			$\alpha_2$	$p_{12} = .254$ * $p_{12} = .25$		$\alpha_2$	$p_{22} = .203$ * $p_{22} = .2$		$\alpha_2$	$p_{32} = .337$ * $p_{32} = .341$	
		$\alpha_3$	$p_{13} = .194$ * $p_{13} = .198$		$\alpha_3$	$p_{23} = .443$ * $p_{23} = .444$											
$ICLA_{5,5}$	$LA_1$	$\alpha_1$	$p_{11} = .21$ * $p_{11} = .211$	$LA_2$	$\alpha_1$	$p_{21} = .208$ * $p_{21} = .211$	$LA_3$	$\alpha_1$	$p_{31} = .189$ * $p_{31} = .192$	$LA_4$	$\alpha_1$	$p_{41} = .176$ * $p_{41} = .173$	$LA_5$	$\alpha_1$	$p_{51} = .214$ * $p_{51} = .212$		
		$\alpha_2$	$p_{12} = .212$ * $p_{12} = .213$		$\alpha_2$	$p_{22} = .215$ * $p_{22} = .212$		$\alpha_2$	$p_{32} = .222$ * $p_{32} = .215$		$\alpha_2$	$p_{42} = .208$ * $p_{42} = .207$		$\alpha_2$	$p_{52} = .183$ * $p_{52} = .188$		
		$\alpha_3$	$p_{13} = .2$ * $p_{13} = .199$		$\alpha_3$	$p_{23} = .201$ * $p_{23} = .2$		$\alpha_3$	$p_{33} = .174$ * $p_{33} = .177$		$\alpha_3$	$p_{43} = .189$ * $p_{43} = .192$		$\alpha_3$	$p_{53} = .212$ * $p_{53} = .214$		
		$\alpha_4$	$p_{14} = .213$ * $p_{14} = .212$		$\alpha_4$	$p_{24} = .178$ * $p_{24} = .179$		$\alpha_4$	$p_{34} = .182$ * $p_{34} = .181$		$\alpha_4$	$p_{44} = .197$ * $p_{44} = .196$		$\alpha_4$	$p_{54} = .174$ * $p_{54} = .175$		
		$\alpha_5$	$p_{15} = .165$ * $p_{15} = .165$		$\alpha_5$	$p_{25} = .198$ * $p_{25} = .198$		$\alpha_5$	$p_{35} = .233$ * $p_{35} = .235$		$\alpha_5$	$p_{45} = .23$ * $p_{45} = .232$		$\alpha_5$	$p_{55} = .217$ * $p_{55} = .211$		



$ICLA_{2,3}$ :  $LA_1$ : Action 2



$ICLA_{5,5}$ :  $LA_4$ : Action 4

Fig. 2. Results of the numerical example 1 for randomly selected actions of two randomly selected LA from  $ICLA_{2,3}$ ,  $ICLA_{5,5}$ .

LA. Table III gives the initial configurations of this ICLA. In this table, for each configuration, the initial action probability vectors for LA are given from left to right. For example, in configuration 3, the initial action probability vector of the  $LA_4$  is  $[0.5, 0.1, 0.1, 0.2, 0.1]^T$ . Fig. 3 plots the evolution

TABLE III  
INITIAL CONFIGURATIONS FOR  $ICLA_{5,5}$  USED IN  
NUMERICAL EXAMPLE 2

Configuration 1					Configuration 2				
0	0	0	0	0	1	0	0	0	0
0	0	0	0	0	0	1	0	0	0
0	0	0	0	0	0	0	1	0	0
0	0	0	0	0	0	0	0	1	0
1	1	1	1	1	0	0	0	0	1
Configuration 3					Configuration 4				
.2	.4	.3	.5	.6	.1	.8	.9	.2	.4
.2	.4	.1	.1	.3	.2	.05	.05	.6	.1
.2	.4	.3	.1	0	.3	0	0	.1	.3
.2	0	.1	.2	0	.4	.05	0	.1	0
.2	.2	.2	.1	.1	0	.1	.05	0	.2

of the action probabilities of two randomly selected actions from two of the LA in ICLA for different initial configurations. As it can be seen from this figure, no matter what the initial configuration of ICLA is, it converges to its equilibrium configuration. Thus, the results of this set of examples coincide with the results given in Theorem 4 in Section III, that is, the convergence of ICLA to its equilibrium configuration is independent of its initial configuration.

### C. Numerical Example 3

This set of numerical examples is conducted to study the behavior of ICLA in terms of the expediency. For this




Fig. 3. Results of the numerical example 2 for randomly selected actions of two randomly selected LA.

TABLE IV  
RESULTS OF THE NUMERICAL EXAMPLE 3

		$E[D_i(\underline{p}(k))]$	$\frac{1}{m_i} \sum_y d_{iy}(\underline{p}(k))$
$ICLA_{2,3}$	$LA_1$	$3.61 \times 10^{-2}$	$5.05 \times 10^{-2}$
	$LA_2$	$3.61 \times 10^{-2}$	$4.48 \times 10^{-2}$
$ICLA_{3,2}$	$LA_1$	$1.02 \times 10^{-1}$	$1.04 \times 10^{-1}$
	$LA_2$	$1.016 \times 10^{-1}$	$1.018 \times 10^{-1}$
	$LA_3$	$1.02 \times 10^{-1}$	$1.03 \times 10^{-1}$
$ICLA_{5,5}$	$LA_1$	$1.368 \times 10^{-1}$	$1.372 \times 10^{-1}$
	$LA_2$	$1.368 \times 10^{-1}$	$1.371 \times 10^{-1}$
	$LA_3$	$1.368 \times 10^{-1}$	$1.374 \times 10^{-1}$
	$LA_4$	$1.368 \times 10^{-1}$	$1.373 \times 10^{-1}$
	$LA_5$	$1.368 \times 10^{-1}$	$1.374 \times 10^{-1}$

paper, we use the specifications of the first numerical example, given in Table I. Table IV compares  $E[D_i(\underline{p}(k))]$  and  $(1)/(m_i) \sum_y d_{iy}(\underline{p}(k))$  at the end of the simulation time ( $k > 2.85 \times 10^6$ ) for all LA of all ICLAs given in Table I. As it can be seen from this table, the average penalty received by any LA is less than that of a pure chance automaton. This is in coincidence with the theoretical results given in Theorem 5, i.e., an ICLA with  $SL_{RP}$  LA, regardless of the local rule being used, is expedient.

## VI. CASE STUDY

To demonstrate the superiority of ICLA over LA, in this section we compare the results of applying these two models for solving the dynamic point coverage problem [20] in the area of wireless sensor networks. In this problem, an unknown number of targets are moving throughout the sensor field and




Fig. 4. Comparison of LA and ICLA for solving dynamic point coverage problem in terms of (a) network detection rate ( $\eta_D$ ) and (b) network redundant active rate ( $\eta_R$ ) criteria.

the aim is to detect and track these moving targets using as few sensor nodes as possible.

We have proposed two different approaches for solving this problem: 1) by using a number of noncooperating LA, one at each sensor node of the network [20] and 2) by using an ICLA, in which there again exists one LA at each sensor node, but these LA cooperate with each other [18]. Fig. 4 compares the results of these two approaches in terms of the following two criteria.

- 1) *Network Detection Rate ( $\eta_D$ )*: This criterion determines the accuracy of detecting and tracking moving targets.
- 2) *Network Redundant Active Rate ( $\eta_R$ )*: This criterion determines the ratio of the time that a target is redundantly detected by more than one sensor node.

As it can be seen from this figure, using ICLA, results in higher  $\eta_D$  and lower  $\eta_R$  than using LA. In other words, the aim of the network, which is to detect moving targets ( $\eta_D$ ) using as few sensor nodes as possible ( $\eta_R$ ), is better fulfilled when LA residing in different nodes of the network cooperate with each other.

## VII. CONCLUSION

In this paper, we proposed ICLA as an extension to CLA model. In contrast to CLA, the proposed model have irregular structure which is needed for modeling problems in some areas such as computer networks, web mining, and grid computing. The steady-state behavior of the proposed model was analytically studied and the results of this paper were illustrated through some numerical examples. The concept of expediency was introduced for the proposed learning model. An ICLA is expedient with respect to each of its cells if, in the long run, the LA resides in that cell performs better (receives less penalty) than a pure-chance automaton. An ICLA is expedient,



if it is expedient with respect to all of its constituting cells. Expediency is a notion of learning. Any model that is said to learn must then do at least better than its equivalent pure-chance model. The intended analytical studies showed that the proposed model, using  $SLRP$  learning algorithm, is expedient. The proposed analytical results are valid only if the learning rate is sufficiently small.

#### APPENDIX A

*Proof of Lemma 2:* Let  $ES = \{\alpha | \underline{\alpha} = (\alpha_1^T, \alpha_2^T, \dots, \alpha_n^T)^T\}$  be the event set which causes the evolution of the state  $\underline{p}(k)$ . The evolution of the state  $\underline{p}(k)$  is dependent on the occurrence of an associated event  $ES(k)$ . Thus

$$\underline{p}(k+1) = f_{ES(k)}(\underline{p}(k)) \quad (27)$$

where  $f_{ES(k)}$  is defined according to (9). Let  $\Pr[ES(k) = e | \underline{p}(k) = \underline{p}] = \phi_e(\underline{p})$  where  $\phi_e(\underline{p})$  is a real-valued function on  $ES \times \mathcal{K}$ . Now define  $m(\phi_e)$  and  $\mu(f_e)$  as

$$m(\phi_e) = \sup_{\underline{p} \neq \underline{p}'} \frac{|\phi_e(\underline{p}) - \phi_e(\underline{p}')|}{d(\underline{p}, \underline{p}')} \quad (28)$$

$$\mu(f_e) = \sup_{\underline{p} \neq \underline{p}'} \frac{d(f_e(\underline{p}), f_e(\underline{p}'))}{d(\underline{p}, \underline{p}')} \quad (29)$$

and

$$\mu(f_e) = \sup_{\underline{p} \neq \underline{p}'} \frac{d(f_e(\underline{p}), f_e(\underline{p}'))}{d(\underline{p}, \underline{p}')} \quad (30)$$

whether or not these are finite. The following propositions are held.

- 1)  $ES$  is a finite set.
- 2)  $(\mathcal{K}, d)$  is a metric space and is compact.
- 3)  $m(\phi_e) < \infty$  for all  $e \in ES$
- 4)  $\mu(f_e) < 1$  for all  $e \in ES$ . To see this, consider  $\underline{p}$  and  $\underline{q}$  as two states of the process  $\{\underline{p}(k)\}$ .

From (10) and (11) we have

$$\begin{aligned} \mu(f_e) &= \frac{d(f_e(\underline{p}), f_e(\underline{q}))}{d(\underline{p}, \underline{q})} = \frac{\sum_i \|f_{e_i}(\underline{p}_i) - f_{e_i}(\underline{q}_i)\|}{\sum_i \|\underline{p}_i - \underline{q}_i\|} \\ &= \frac{\sum_i (1 - a_i) \cdot \|\underline{p}_i - \underline{q}_i\|}{\sum_i \|\underline{p}_i - \underline{q}_i\|}. \end{aligned} \quad (31)$$

Since  $0 < a_i < 1, \forall i$  it follows that  $\mu(f_e) < 1$ .

Therefore, and according to the definition of the distance diminishing processes given by Norman [15], Markovian process given by (9) is strictly distance diminishing. ■

*Proof of Corollary 1:* From Lemma 2, It follows that:

$$d(\underline{p}^{(h)}, \underline{q}^{(h)}) = \sum_i (1 - a_i)^h \cdot \|\underline{p}_i - \underline{q}_i\|. \quad (32)$$

Right hand side of (32) tends to zero as  $h \rightarrow \infty$ . Hence  $\underline{p}^{(h)} \rightarrow \underline{q}^{(h)}$  irrespective of the initial configurations  $\underline{p}$  and  $\underline{q}$ . ■

#### APPENDIX B

*Proof of Lemma 5:* Let  $\zeta(\underline{p}) = \underline{a}f(\underline{p}) + \underline{p}$  where matrix  $\underline{a}$  is equivalent to the one given in (9). Components of  $\zeta(\underline{p})$  can be obtained as follows:

$$\zeta_{ir}(\underline{p}) = \frac{a_i}{m_i - 1} \cdot [D_i(\underline{p}) - m_i p_{ir} d_{ir}(\underline{p})] + p_{ir}. \quad (33)$$

It is easy to verify that  $0 \leq \zeta_{ir}(\underline{p}) < 1$  for all  $i$  and  $r$ . Thus,  $\zeta(\underline{p})$  is a continuous mapping from  $\mathcal{K}$  to  $\mathcal{K}$ . Since  $\mathcal{K}$  is closed, bounded, and convex (Lemma 1), we can use the Brouwer's fixed point theorem to show that  $\zeta(\underline{p})$  has at least one fixed point. Let  $\underline{p}^*$  be a fixed point of  $\zeta(\underline{p})$ , thus we have

$$\zeta(\underline{p}^*) = \underline{p}^* \quad (34)$$

or equivalently

$$\underline{a}f(\underline{p}^*) + \underline{p}^* = \underline{p}^*. \quad (35)$$

Since  $\underline{a}$  is a diagonal matrix with no zero elements on its main diagonal, it can be concluded from (35) that

$$f(\underline{p}^*) = \underline{0}. \quad (36)$$

Since every point  $\underline{p}^*$ , that satisfies  $f(\underline{p}^*) = \underline{0}$ , is an equilibrium point of ODE (17), we can conclude that ODE (17) has at least one equilibrium point. ■

#### APPENDIX C

*Proof of Lemma 6:* Let

$$\delta_{ir}^* = \frac{D_i(\underline{p}^*)}{m_i d_{ir}(\underline{p}^*)}. \quad (37)$$

Using (24) and (37), components of the derivative of  $\hat{\underline{p}}$  with respect to time can be given as

$$\frac{d\hat{p}_{ir}}{dt} = \frac{dp_{ir}}{dt} + \frac{d\delta_{ir}^*}{dt} = \frac{dp_{ir}}{dt} \quad \text{for all } i, r. \quad (38)$$

Using (18) and (37), (38) can be rewritten as

$$\frac{d\hat{p}_{ir}}{dt} = \frac{1}{m_i - 1} \cdot [D_i(\underline{p}) - m_i \cdot (\hat{p}_{ir} + \delta_{ir}^*) \cdot d_{ir}(\underline{p})]. \quad (39)$$

Equation (39) is valid for all configurations  $\hat{\underline{p}}$  including  $\hat{\underline{q}}$  in which  $\hat{q}_{ir} = 0$  for a particular action  $r$  of the  $i$ th LA. For this configuration, it is easy to verify that  $(d\hat{q}_{ir})/(dt) = 0$ .

Next, use (7) to rewrite (39) as follows:

$$\frac{d\hat{p}_{ir}}{dt} = \frac{1}{m_i - 1} \cdot \left[ \frac{d_{ir}(\underline{p}) \cdot (1 - m_i) \cdot (\hat{p}_{ir} + \delta_{ir}^*) + \sum_{y \neq r} (\hat{p}_{iy} + \delta_{iy}^*) d_{iy}(\underline{p})}{\sum_{y \neq r} (\hat{p}_{iy} + \delta_{iy}^*) d_{iy}(\underline{p})} \right] \quad (40)$$

for all  $i, r$ .

Equation (40) is also valid for all configurations  $\hat{\underline{p}}$  including  $\hat{\underline{q}}$ . Thus, we have

$$\frac{d\hat{q}_{ir}}{dt} = \frac{1}{m_i - 1} \cdot \left[ \frac{d_{ir}(\underline{q}) \cdot (1 - m_i) \cdot \delta_{ir}^* + \sum_{y \neq r} (\hat{q}_{iy} + \delta_{iy}^*) d_{iy}(\underline{q})}{\sum_{y \neq r} (\hat{q}_{iy} + \delta_{iy}^*) d_{iy}(\underline{q})} \right] = 0 \quad (41)$$

from which it immediately follows that:

$$d_{ir}(\underline{q}) \cdot (1 - m_i) \cdot \delta_{ir}^* + \sum_{y \neq r} (\hat{q}_{iy} + \delta_{iy}^*) d_{iy}(\underline{q}) = 0. \quad (42)$$

Since none of the terms in (42) depend on the value of  $\hat{q}_{ir}$ , this equation is valid for all configurations  $\hat{p}$ , that is

$$d_{ir}(\underline{p}) \cdot (1 - m_i) \cdot \delta_{ir}^* + \sum_{y \neq r} (\hat{p}_{iy} + \delta_{iy}^*) d_{iy}(\underline{p}) = 0, \quad \text{for all } \hat{p}, i, r. \quad (43)$$

Using (43) in (40) we get

$$\frac{d\hat{p}_{ir}}{dt} = -d_{ir}(\underline{p})\hat{p}_{ir} \quad \text{for all } i, r \quad (44)$$

and hence the lemma. ■

#### APPENDIX D

*Proof of Theorem 3:* Apply transformation (24) to transfer the origin to  $\underline{p}^*$ . Now consider the following positive definite Lyapunov function:

$$V(\hat{p}) = -\sum_i \sum_y \hat{p}_{iy} \cdot \ln(1 - \hat{p}_{iy}). \quad (45)$$

$V(\hat{p}) \geq 0$  for all configurations  $\hat{p}$  and is zero only when  $\hat{p}_{ir} = 0$  for all  $i$  and  $r$ . Time derivative of  $V(\cdot)$  can be expressed as

$$\dot{V}(\hat{p}) = -\sum_i \sum_y \frac{d\hat{p}_{iy}}{dt} \cdot v(\hat{p}_{iy}) \quad (46)$$

where

$$v(\hat{p}_{iy}) = \left[ \frac{\ln(1 - \hat{p}_{iy}) \cdot (1 - \hat{p}_{iy}) - \hat{p}_{iy}}{1 - \hat{p}_{iy}} \right]. \quad (47)$$

Considering the value of  $\hat{p}_{iy}$ , following three cases may arise for each term of this derivative.

- 1)  $0 < \hat{p}_{iy} \leq 1$ : In this case,  $v(\hat{p}_{iy}) < 0$  and  $(d\hat{p}_{iy})/(dt) < 0$  (Corollary 2). Therefore,  $(d\hat{p}_{iy})/(dt) \cdot v(\hat{p}_{iy}) > 0$ .
- 2)  $-1 \leq \hat{p}_{iy} < 0$ : In this case,  $v(\hat{p}_{iy}) > 0$  and  $(d\hat{p}_{iy})/(dt) > 0$  (Corollary 2). Therefore,  $(d\hat{p}_{iy})/(dt) \cdot v(\hat{p}_{iy}) > 0$ .
- 3)  $\hat{p}_{iy} = 0$ : In this case,  $(d\hat{p}_{iy})/(dt) \cdot v(\hat{p}_{iy}) = 0$ .

Thus,  $\dot{V}(\hat{p}) \leq 0$ , for all configurations  $\hat{p}$  and is zero only when  $\hat{p}_{ir} = 0$  for all  $i$  and  $r$ . Therefore, using the Lyapunov theorems for autonomous systems, it can be proved that  $\underline{p}^*$  is an asymptotically stable equilibrium point of ODE (17) over  $\mathcal{K}$ . ■

#### APPENDIX E

*Proof of Theorem 5:* We have to show that an ICLA with  $SL_{RP}$  LA is expedient with respect to all of its cells; that is,  $\lim_{k \rightarrow \infty} \underline{p}(k) = \underline{p}^*$  exists and the following inequality holds:

$$\lim_{k \rightarrow \infty} E[D_i(\underline{p}(k))] < \frac{1}{m_i} \sum_y d_{iy}(\underline{p}^*), \quad \text{for every } i. \quad (48)$$

Using (7), the left hand side of this inequality can be rewritten as

$$\begin{aligned} \lim_{k \rightarrow \infty} E[D_i(\underline{p}(k))] &= \lim_{k \rightarrow \infty} E \left[ \sum_y d_{iy}(\underline{p}(k)) p_{iy}(k) \right] \\ &= \sum_y \lim_{k \rightarrow \infty} E[d_{iy}(\underline{p}(k)) p_{iy}(k)]. \end{aligned} \quad (49)$$

Since  $d_{iy}(\underline{p}(k))$  and  $p_{iy}(k)$  are independent, (49) can be simplified to

$$\begin{aligned} &\lim_{k \rightarrow \infty} E[D_i(\underline{p}(k))] \\ &= \sum_y \left( \lim_{k \rightarrow \infty} E[d_{iy}(\underline{p}(k))] \cdot \lim_{k \rightarrow \infty} E[p_{iy}(k)] \right). \end{aligned} \quad (50)$$

From Theorem 4, we have  $\lim_{k \rightarrow \infty} E[p(k)] = \underline{p}^*$  and hence  $\lim_{k \rightarrow \infty} E[p_{ir}(k)] = p_{ir}^*$  for all  $i$  and  $r$ . Using (6),  $\lim_{k \rightarrow \infty} E[d_{ir}(\underline{p}(k))]$  can be computed as follows:

$$\begin{aligned} \lim_{k \rightarrow \infty} E[d_{ir}(\underline{p}(k))] &= \lim_{k \rightarrow \infty} E \left[ \sum_{y_{j_1}, \dots, y_{j_{N_i}}} F^i(y_{j_1}, y_{j_2}, \dots, y_{j_{N_i}}, r) \prod_{LA_l \in N(i)} p_{ly_{jl}}(k) \right] \\ &= \sum_{y_{j_1}, \dots, y_{j_{N_i}}} F^i(y_{j_1}, y_{j_2}, \dots, y_{j_{N_i}}, r) \\ &\quad \prod_{LA_l \in N(i)} \lim_{k \rightarrow \infty} E[p_{ly_{jl}}(k)] \\ &= d_{ir}(\underline{p}^*(k)). \end{aligned} \quad (51)$$

Thus, we get

$$\lim_{k \rightarrow \infty} E[D_i(\underline{p}(k))] = \sum_y (d_{iy}(\underline{p}^*) p_{iy}^*). \quad (52)$$

Now, we have to show that

$$\sum_y d_{iy}(\underline{p}^*) p_{iy}^* < \frac{1}{m_i} \sum_y d_{iy}(\underline{p}^*) \quad \text{for every } i. \quad (53)$$

Each side of this inequality is a convex combination of  $d_{iy}(\underline{p}^*)$ ,  $y = 1, \dots, m_i$ . In the convex combination given on the right hand side of (53), weights of all  $d_{ir}(\underline{p}^*)$  are equal to  $(1)/(m_i)$ , whereas in the convex combination given on the left hand side, weight of each  $d_{ir}(\underline{p}^*)$  is inversely proportional to its value, that is, the larger  $d_{ir}(\underline{p}^*)$ , the smaller its weight is [considering (22)]. Therefore, the convex combination given on the left hand side of inequality (53) is smaller than the one given on the right hand side, and hence the theorem. ■

#### REFERENCES

- [1] J. Kari, "Reversibility of 2D cellular automata is undecidable," *Phys. D*, vol. 45, nos. 1–3, pp. 379–385, 1990.
- [2] N. H. Pakard and S. Wolfram, "Two-dimensional cellular automata," *J. State Phys.*, vol. 38, nos. 5–6, pp. 901–946, 1985.
- [3] E. Fredkin, "Digital machine: An informational process based on reversible cellular automata," *Phys. D*, vol. 45, nos. 1–3, pp. 254–270, 1990.
- [4] M. A. L. Thathachar and P. S. Sastry, *Networks of Learning Automata*. Boston, MA, USA: Kluwer Academic, 2004.
- [5] M. R. Meybodi, H. Beigy, and M. Taherkhani, "Cellular learning automata and its applications," *Sharif J. Sci. Technol.*, vol. 19, no. 25, pp. 54–77, 2003.
- [6] H. Beigy and M. R. Meybodi, "A self-organizing channel assignment algorithm: A cellular learning automata approach," in *Intelligent Data Engineering and Automated Learning*, vol. 2690. New York, NY, USA: Springer, 2003, pp. 119–126.
- [7] H. Beigy and M. R. Meybodi, "Asynchronous cellular learning automata," *Automatica*, vol. 44, no. 5, pp. 1350–1357, 2008.

- [8] M. R. Meybodi and F. Mehdipour, "Application of cellular learning automata with input to VLSI placement," *J. Modarres*, vol. 16, pp. 81–95, 2004.
- [9] H. Beigy and M. R. Meybodi, "Open synchronous cellular learning automata," *Adv. Complex Syst.*, vol. 10, no. 4, pp. 527–556, 2007.
- [10] H. Beigy and M. R. Meybodi, "Cellular learning automata with multiple learning automata in each cell and its applications," *IEEE Trans. Syst., Man, Cybern. B, Cybern.*, vol. 40, no. 1, pp. 54–66, Feb. 2010.
- [11] H. Beigy and M. R. Meybodi, "A mathematical framework for cellular learning automata," *Adv. Complex Syst.*, vol. 7, no. 3, pp. 295–320, 2004.
- [12] M. L. Tsetlin, "On the behavior of finite automata in random media," *Autom. Remote Control*, vol. 22, no. 10, pp. 1210–1219, 1962.
- [13] K. S. Narendra and M. A. L. Thathachar, *Learning Automata: An Introduction*. Englewood Cliffs, NJ, USA: Prentice-Hall, 1989.
- [14] D. L. Isaacson and R. W. Madsen, *Markov Chains: Theory and Applications*. New York, NY, USA: Wiley, 1976.
- [15] M. F. Norman, "Some convergence theorems for stochastic learning models with distance diminishing operators," *J. Math. Psychol.*, vol. 5, no. 1, pp. 61–101, 1968.
- [16] M. Esnaashari and M. R. Meybodi, "Irregular cellular learning automata and its application to clustering in sensor networks," in *Proc. 15th Conf. Elect. Eng.*, Telecommunication Research Center, Tehran, Iran, 2007.
- [17] M. Esnaashari and M. R. Meybodi, "A cellular learning automata based clustering algorithm for wireless sensor networks," *Sens. Lett.*, vol. 6, no. 5, pp. 723–735, 2008.
- [18] M. Esnaashari and M. R. Meybodi, "Dynamic point coverage problem in wireless sensor networks: A cellular learning automata approach," *J. Ad hoc Sens. Wireless. Netw.*, vol. 10, nos. 2–3, pp. 193–234, 2010.
- [19] M. Ahmadiania, M. R. Meybodi, M. Esnaashari, and H. Alinejad Rokney, "Energy efficient and multi clustering algorithm in wireless networks using cellular learning automata," *IETE J. Res.*, vol. 59, no. 6, pp. 774–782, 2013.
- [20] M. Esnaashari and M. R. Meybodi, "A learning automata based scheduling solution to the dynamic point coverage problem in wireless sensor networks," *Comput. Netw.*, vol. 54, no. 14, pp. 2410–2438, 2010.
- [21] M. L. Tsetlin, *Automaton theory and modeling of biological systems*. New York, NY, USA: Academic Press, 1973.
- [22] A. G. Barto and P. Anandan, "Pattern-recognizing stochastic learning automata," *IEEE Trans. Syst., Man, Cybern. B, Cybern.*, vol. 15, no. 3, pp. 360–375, May/Jun. 1985.
- [23] K. S. Narendra and K. Parthasarathy, "Learning automata approach to hierarchical multi-objective analysis," *IEEE Trans. Syst., Man, Cybern. B, Cybern.*, vol. 21, no. 1, pp. 263–272, Jan./Feb. 1991.
- [24] P. S. Sastry, V. V. Phansalkar, and M. Thathachar, "Decentralized learning of nash equilibria in multi-person stochastic games with incomplete information," *IEEE Trans. Syst., Man, Cybern. B, Cybern.*, vol. 24, no. 5, pp. 769–777, May 1994.
- [25] O.-C. Granmo, B. J. Oommen, S. A. Myrer, and M. G. Olsen, "Learning automata-based solutions to the nonlinear fractional knapsack problem with applications to optimal resource allocation," *IEEE Trans. Syst., Man, Cybern. B, Cybern.*, vol. 37, no. 2, pp. 166–175, Feb. 2007.
- [26] B. J. Oommen and K. Hashem, "Modeling the "learning process" of the teacher in a tutorial-like system using learning automata," *IEEE Trans. Syst., Man, Cybern. B, Cybern.*, vol. 43, no. 6, pp. 2020–2031, Dec. 2013.
- [27] A. Yazidi, O.-C. Granmo, and B. J. Oommen, "Learning automaton based on-line discovery and tracking of spatio-temporal event patterns," *IEEE Trans. Cybern.*, vol. 43, no. 3, pp. 1118–1130, Jun. 2013.



**Mehdi Esnaashari** received the B.S., M.S., and the Ph.D. degrees in computer engineering from the Amirkabir University of Technology, Tehran, Iran, in 2002, 2005, and 2011, respectively.

He is currently an Assistant Professor with Iran Telecommunications Research Center, Tehran. His current research interests include computer networks, learning systems, soft computing, and information retrieval.



**Mohammad Reza Meybodi** received the B.S. and M.S. degrees in economics from Shahid Beheshti University, Tehran, Iran, in 1973 and 1977, respectively, and the M.S. and Ph.D. degrees in computer science from Oklahoma University, Norman, OK, USA, in 1980 and 1983, respectively.

He is currently a Full Professor with Computer Engineering Department, Amirkabir University of Technology, Tehran. Prior to his current position, he was an Assistant Professor with Western Michigan University, Kalamazoo, MI, USA, from 1983 to 1985, and an Associate Professor with Ohio University, Athens, OH, USA, from 1985 to 1991. His current research interests include channel management in cellular networks, learning systems, parallel algorithms, soft computing, and software development.